

Compiler Devices Supported

Device	Opc	ROM	RAM	I/O	H/W Features
MTA81010	B	512	25	12	TIMERS(1)
PIC10F200	B	256	16	4	TIMERS(1)
PIC10F202	B	512	24	4	TIMERS(1)
PIC10F204	B	256	16	4	COMP TIMERS(1)
PIC10F206	B	512	24	4	COMP TIMERS(1)
PIC10F220	B	256	16	4	ADC(2) TIMERS(1)
PIC10F222	B	512	23	4	ADC(2) TIMERS(1)
PIC12F508	B	512	25	6	TIMERS(1)
PIC12C508	B	512	25	6	TIMERS(1)
PIC12C508A	B	512	25	6	TIMERS(1)
PIC12C509	B	1024	41	6	TIMERS(1)
PIC12F509	B	1024	41	6	TIMERS(1)
PIC12HV509 *	M	1024	68	6	TIMERS(3)
PIC12CR509A	B	1024	41	6	TIMERS(1)
PIC12C509A	B	1024	41	6	TIMERS(1)
RFPIC12C509AF	B	1024	41	6	TIMERS(1)
RFPIC12C509AG	B	1024	41	6	TIMERS(1)
PIC12F510	B	1024	44	6	ADC(3) COMP TIMERS(1)
PIC12CE518	B	512	25	6	EEPROM(16) TIMERS(1)
PIC12CE519	B	1024	40	6	EEPROM(16) TIMERS(1)
PIC12F609 *	M	1024	68	6	TIMERS(3)
PIC12HV615 *	M	1024	68	6	ADC(4) TIMERS(4) CCP(1)
PIC12F615 *	M	1024	68	6	ADC(4) TIMERS(4) CCP(1)
PIC12F629	M	1024	64	6	EEPROM(128) COMP VREF TIMERS(3)
PIC12F635	M	1024	64	6	EEPROM(128) COMP VREF TIMERS(3)
PIC12C671	M	1024	128	6	ADC(4) TIMERS(1)

PIC12C672	M	2048	128	6	ADC(4) TIMERS(1)
PIC12CE673	M	1024	128	6	ADC(4) TIMERS(1)
PIC12CE674	M	2048	128	6	ADC(4) TIMERS(1)
PIC12F675	M	1024	64	6	ADC(4) EEPROM(128) COMP VREF TIMERS(3)
RFPIC12F675F	M	1024	64	6	ADC(4) EEPROM(128) COMP VREF TIMERS(2)
RFPIC12F675H	M	1024	64	6	ADC(4) EEPROM(128) COMP VREF TIMERS(2)
RFPIC12F675K	M	1024	64	6	ADC(4) EEPROM(128) COMP VREF TIMERS(2)
PIC12F683	M	2048	128	6	ADC(4) EEPROM(256) COMP VREF TIMERS(4) CCP(1)
PIC14000	M	4031	192	20	ADC(16) I2C TIMERS(1)
PIC16C52	B	384	25	12	TIMERS(1)
PIC16F54	B	512	25	12	TIMERS(1)
PIC16C54	B	512	25	12	TIMERS(1)
PIC16CR54A	B	512	25	12	TIMERS(1)
PIC16C54A	B	512	25	12	TIMERS(1)
PIC16CR54B	B	512	25	12	TIMERS(1)
PIC16C54B	B	512	25	12	TIMERS(1)
PIC16CR54C	B	512	25	12	TIMERS(1)
PIC16C54C	B	512	25	12	TIMERS(1)
PIC16C55	B	512	24	20	TIMERS(1)
PIC16C55A	B	512	24	20	TIMERS(1)
PIC16C56	B	1024	25	12	TIMERS(1)
PIC16C56A	B	1024	25	12	TIMERS(1)
PIC16CR56A	B	1024	25	12	TIMERS(1)
PIC16C57	B	2048	72	20	TIMERS(1)
PIC16F57	B	2048	72	20	TIMERS(1)
PIC16CR57A	B	2048	72	20	TIMERS(1)
PIC16C57A	B	2048	72	20	TIMERS(1)
PIC16CR57B	B	2048	72	20	TIMERS(1)
PIC16C57B	B	2048	72	20	TIMERS(1)

PIC16CR57C	B	2048	72	20	TIMERS(1)
PIC16C57C	B	2048	72	20	TIMERS(1)
PIC16C58	B	2048	73	12	TIMERS(1)
PIC16CR58A	B	2048	25	12	TIMERS(1)
PIC16C58A	B	2048	73	12	TIMERS(1)
PIC16C58B	B	2048	73	12	TIMERS(1)
PIC16CR58B	B	2048	25	12	TIMERS(1)
PIC16F59	B	2048	134	32	TIMERS(1)
PIC16C61	M	1024	36	13	TIMERS(1)
PIC16C62	M	2048	128	22	SPI I2C TIMERS(3) CCP(1)
PIC16CR62	M	2048	128	22	SPI I2C TIMERS(3) CCP(1)
PIC16C62A	M	2048	128	22	SPI I2C TIMERS(3) CCP(1)
PIC16C62B	M	2048	128	22	SPI I2C TIMERS(3) CCP(1)
PIC16C63	M	4096	192	22	UART9 SPI I2C TIMERS(3) CCP(2)
PIC16CR63	M	4096	192	22	UART9 SPI I2C TIMERS(3) CCP(2)
PIC16C63A	M	4096	192	22	UART9 SPI I2C TIMERS(3) CCP(2)
PIC16CR64	M	2048	128	33	SPI I2C PSP TIMERS(3) CCP(1)
PIC16C64	M	2048	128	33	SPI I2C PSP TIMERS(3) CCP(1)
PIC16C64A	M	2048	128	33	SPI I2C PSP TIMERS(3) CCP(1)
PIC16C65	M	4096	192	33	UART9 SPI I2C PSP TIMERS(3) CCP(2)
PIC16CR65	M	4096	192	33	UART9 SPI I2C PSP TIMERS(3) CCP(2)
PIC16C65A	M	4096	192	33	UART9 SPI I2C PSP TIMERS(3) CCP(2)
PIC16C65B	M	4096	192	33	UART9 SPI I2C PSP TIMERS(3) CCP(2)
PIC16C66	M	8192	367	22	UART9 SPI I2C TIMERS(3) CCP(2)
PIC16C67	M	8192	367	33	UART9 SPI I2C PSP TIMERS(3) CCP(2)
PIC16C70	M	512	36	13	ADC(4) TIMERS(1)
PIC16C71	M	1024	36	13	ADC(4) TIMERS(1)
PIC16CR72	M	2048	128	22	ADC(5) SPI I2C TIMERS(3) CCP(1)
PIC16F72	M	2048	128	22	ADC(5) SPI I2C TIMERS(3) CCP(1) PRGMEM

PIC16C72	M	2048	128	22	ADC(5) SPI I2C TIMERS(3) CCP(1)
PIC16C72A	M	2048	128	22	ADC(5) SPI I2C TIMERS(3) CCP(1)
PIC16F73	M	4096	192	22	UART9 ADC(5) SPI I2C TIMERS(3) CCP(2) PRGMEM
PIC16CR73	M	4096	192	22	UART9 ADC(5) SPI I2C TIMERS(3) CCP(2)
PIC16C73	M	4096	192	22	UART9 ADC(5) SPI I2C TIMERS(3) CCP(2)
PIC16C73A	M	4096	192	22	UART9 ADC(5) SPI I2C TIMERS(3) CCP(2)
PIC16C73B	M	4096	192	22	UART9 ADC(5) SPI I2C TIMERS(3) CCP(2)
PIC16CR74	M	4096	192	33	UART9 ADC(8) SPI I2C PSP TIMERS(3) CCP(2)
PIC16F74	M	4096	192	33	UART9 ADC(8) SPI I2C PSP TIMERS(3) CCP(2) PRGMEM
PIC16C74	M	4096	192	33	UART9 ADC(8) SPI I2C PSP TIMERS(3) CCP(2)
PIC16C74A	M	4096	192	33	UART9 ADC(8) SPI I2C PSP TIMERS(3) CCP(2)
PIC16C74B	M	4096	192	33	UART9 ADC(8) SPI I2C PSP TIMERS(3) CCP(2)
PIC16LC74B	M	4096	192	33	UART9 ADC(8) SPI I2C PSP TIMERS(3) CCP(2)
PIC16CR76	M	8192	367	22	UART9 ADC(5) SPI I2C TIMERS(3) CCP(2)
PIC16C76	M	8192	367	22	UART9 ADC(5) SPI I2C TIMERS(3) CCP(2)
PIC16F76	M	8192	367	22	UART9 ADC(5) SPI I2C TIMERS(3) CCP(2) PRGMEM
PIC16C77	M	8192	367	33	UART9 ADC(8) SPI I2C PSP TIMERS(3) CCP(2)
PIC16CR77	M	8192	367	33	UART9 ADC(8) SPI I2C PSP TIMERS(3) CCP(2)
PIC16F77	M	8192	367	33	UART9 ADC(8) SPI I2C PSP TIMERS(3) CCP(2) PRGMEM
PIC16CR83	M	512	36	13	EEPROM(64) TIMERS(1)
PIC16C83	M	512	36	13	EEPROM(64) TIMERS(1)
PIC16F83	M	512	36	13	EEPROM(64) TIMERS(1)
PIC16CR84	M	1024	36	13	EEPROM(64) TIMERS(1)
PIC16F84	M	1024	68	13	EEPROM(64) TIMERS(1)
PIC16C84	M	1024	36	13	EEPROM(64) TIMERS(1)
PIC16LF84A	M	1024	68	13	EEPROM(64) TIMERS(1)
PIC16F84A	M	1024	68	13	EEPROM(64) TIMERS(1)
PIC16C84A	M	1024	68	13	EEPROM(64) TIMERS(1)
PIC16F87	M	4096	367	16	UART9 EEPROM(256) SPI I2C COMP VREF TIMERS(3) CCP(1)

					PRGMEM
PIC16F88	M	4096	367	16	UART9 ADC(7) EEPROM(256) SPI I2C COMP VREF TIMERS(3) CCP(1) PRGMEM
PIC16C432	M	2048	144	14	TIMERS(1)
PIC16C433	M	2048	144	6	ADC(4) TIMERS(1)
PIC16F505	B	1024	72	12	TIMERS(1)
PIC16C505	B	1024	72	12	TIMERS(1)
PIC16F506	B	1024	76	12	ADC(3) COMP TIMERS(1)
PIC16HV540	B	512	25	12	TIMERS(1)
PIC16C554	M	512	80	13	TIMERS(1)
PIC16C558	M	2048	128	13	TIMERS(1)
PIC16F616	M	2048	128	12	ADC(8) COMP VREF TIMERS(4) CCP(1)
PIC16HV616	M	2048	128	12	ADC(8) COMP VREF TIMERS(4) CCP(1)
PIC16C620	M	512	80	13	COMP TIMERS(1)
PIC16CR620A	M	512	80	13	COMP TIMERS(1)
PIC16C620A	M	512	80	13	COMP TIMERS(1)
PIC16C621	M	1024	80	13	COMP VREF TIMERS(1)
PIC16C621A	M	1024	80	13	COMP VREF TIMERS(1)
PIC16C622	M	2048	128	13	COMP VREF TIMERS(1)
PIC16C622A	M	2048	128	13	COMP VREF TIMERS(1)
PIC16CE623	M	512	96	13	EEPROM(128) COMP VREF TIMERS(1)
PIC16CE624	M	1024	96	13	EEPROM(128) COMP VREF TIMERS(1)
PIC16CE625	M	2048	128	13	EEPROM(128) COMP VREF TIMERS(1)
PIC16F627	M	1024	223	16	UART9 EEPROM(112) COMP VREF TIMERS(3) CCP(1)
PIC16F627A	M	1024	223	16	UART9 EEPROM(128) COMP VREF TIMERS(3) CCP(1)
PIC16F628	M	2048	223	16	UART9 EEPROM(128) COMP VREF TIMERS(3) CCP(1)
PIC16F628A	M	2048	223	16	UART9 EEPROM(128) COMP VREF TIMERS(3) CCP(1)
PIC16F630	M	1024	64	12	EEPROM(128) COMP VREF TIMERS(3)
PIC16F631	M	1024	68	18	EEPROM(128) COMP VREF TIMERS(3)

PIC16F636	M	2048	128	12	EEPROM(256) COMP VREF TIMERS(3)
PIC16F639	M	2048	128	12	EEPROM(256) COMP VREF TIMERS(3)
PIC16C641	M	2048	176	22	COMP VREF TIMERS(1)
PIC16C642	M	4096	176	22	COMP TIMERS(1)
PIC16F648A	M	4096	255	16	UART9 EEPROM(256) COMP VREF TIMERS(3) CCP(1)
PIC16C661	M	2048	128	32	COMP VREF PSP TIMERS(1)
PIC16C662	M	4096	176	32	COMP PSP TIMERS(1)
PIC16F676	M	1024	64	12	ADC(8) EEPROM(128) COMP VREF TIMERS(3)
PIC16F677	M	2048	128	18	ADC(12) EEPROM(256) SPI I2C COMP VREF TIMERS(3)
PIC16F684	M	2048	128	12	ADC(8) EEPROM(256) COMP VREF TIMERS(4) CCP(1)
PIC16F685	M	4096	256	18	ADC(12) EEPROM(256) COMP VREF TIMERS(4) CCP(1) PRGMEM
PIC16F687	M	2048	128	18	UART9 ADC(12) EEPROM(256) SPI I2C COMP VREF TIMERS(3)
PIC16F688	M	4096	256	12	UART9 ADC(8) EEPROM(256) COMP VREF TIMERS(3) PRGMEM
PIC16F689	M	4096	256	18	UART9 ADC(12) EEPROM(256) SPI I2C COMP VREF TIMERS(3) PRGMEM
PIC16F690	M	4096	253	18	UART9 ADC(12) EEPROM(256) SPI I2C COMP VREF TIMERS(4) CCP(1) PRGMEM
PIC16C710	M	512	36	13	ADC(4) TIMERS(1)
PIC16C711	M	1024	68	13	ADC(4) TIMERS(1)
PIC16C712	M	1024	128	13	ADC(4) TIMERS(3) CCP(1)
PIC16C715	M	2048	128	13	ADC(4) TIMERS(1)
PIC16F716	M	2048	128	13	ADC(4) TIMERS(3) CCP(1)
PIC16C716	M	2048	128	13	ADC(4) TIMERS(3) CCP(1)
PIC16C717	M	2048	256	16	ADC(6) SPI I2C-M VREF TIMERS(3) CCP(1)
PIC16F737	M	4096	367	25	UART9 ADC(11) SPI I2C-M COMP VREF TIMERS(3) CCP(3) PRGMEM
PIC16C745	M	8192	255	19	UART9 ADC(5) USB PSP TIMERS(3) CCP(2)
PIC16F747	M	4096	367	36	UART9 ADC(14) SPI I2C-M COMP VREF PSP TIMERS(3) CCP(3) PRGMEM
PIC16C765	M	8192	255	30	UART9 ADC(8) USB PSP TIMERS(3) CCP(2)

PIC16F767	M	8192	367	25	UART9 ADC(11) SPI I2C-M COMP VREF TIMERS(3) CCP(3) PRGMEM
PIC16C770	M	2048	256	16	ADC(6) SPI I2C-M VREF TIMERS(3) CCP(1)
PIC16C771	M	4096	255	16	ADC(6) SPI I2C-M VREF TIMERS(3) CCP(1)
PIC16C773	M	4096	255	21	UART9 ADC(6) SPI I2C-M PSP TIMERS(3) CCP(2)
PIC16C774	M	4096	255	33	UART9 ADC(10) SPI I2C-M PSP TIMERS(3) CCP(2)
PIC16F777	M	8192	367	36	UART9 ADC(14) SPI I2C-M COMP VREF PSP TIMERS(3) CCP(3) PRGMEM
PIC16C781	M	1024	256	16	ADC(10) COMP VREF TIMERS(4)
PIC16C782	M	2048	256	16	ADC(10) COMP VREF TIMERS(4)
PIC16HV785	M	2048	127	18	ADC(12) EEPROM(256) COMP VREF TIMERS(4) CCP(1)
PIC16F785	M	2048	127	18	ADC(12) EEPROM(256) COMP VREF TIMERS(4) CCP(1)
PIC16F818	M	1024	127	16	ADC(5) EEPROM(128) SPI I2C TIMERS(3) CCP(1) PRGMEM
PIC16F819	M	2048	255	16	ADC(5) EEPROM(256) SPI I2C TIMERS(3) CCP(1) PRGMEM
PIC16F870	M	2048	128	22	UART9 ADC(5) EEPROM(64) PSP TIMERS(3) CCP(1) PRGMEM
PIC16F871	M	2048	128	33	UART9 ADC(8) EEPROM(64) PSP TIMERS(3) CCP(1) PRGMEM
PIC16F872	M	2048	128	22	ADC(5) EEPROM(64) SPI I2C-M TIMERS(3) CCP(1) PRGMEM
PIC16F873	M	4096	190	22	UART9 ADC(5) EEPROM(128) SPI I2C-M TIMERS(3) CCP(2) PRGMEM
PIC16F873A	M	4096	190	22	UART9 ADC(5) EEPROM(128) SPI I2C-M COMP VREF TIMERS(3) CCP(2) PRGMEM
PIC16F874	M	4096	190	33	UART9 ADC(8) EEPROM(128) SPI I2C-M PSP TIMERS(3) CCP(2) PRGMEM
PIC16F874A	M	4096	190	33	UART9 ADC(8) EEPROM(128) SPI I2C-M COMP VREF PSP TIMERS(3) CCP(2) PRGMEM
PIC16F876	M	8192	367	22	UART9 ADC(5) EEPROM(256) SPI I2C-M TIMERS(3) CCP(2) PRGMEM
PIC16F876A	M	8192	367	22	UART9 ADC(5) EEPROM(256) SPI I2C-M COMP VREF TIMERS(3) CCP(2) PRGMEM
PIC16F877	M	8192	367	33	UART9 ADC(8) EEPROM(256) SPI I2C-M PSP TIMERS(3) CCP(2) PRGMEM
PIC16F877A	M	8192	367	33	UART9 ADC(8) EEPROM(256) SPI I2C-M COMP VREF PSP

					TIMERS(3) CCP(2) PRGMEM
PIC16F883 *	M	4096	255	25	UART9 ADC(14) EEPROM(256) SPI I2C-M COMP VREF TIMERS(4) CCP(2) PRGMEM
PIC16F884 *	M	4096	255	36	UART9 ADC(14) EEPROM(256) SPI I2C-M COMP VREF TIMERS(4) CCP(2) PRGMEM
PIC16F886 *	M	8192	367	25	UART9 ADC(14) EEPROM(256) SPI I2C-M COMP VREF TIMERS(4) CCP(2) PRGMEM
PIC16F887 *	M	8192	367	36	UART9 ADC(14) EEPROM(256) SPI I2C-M COMP VREF TIMERS(4) CCP(2) PRGMEM
PIC16F913	M	4096	260	25	UART9 ADC(5) EEPROM(256) SPI I2C COMP VREF TIMERS(4) CCP(1) LCD PRGMEM
PIC16F914	M	4096	259	36	UART9 ADC(8) EEPROM(256) SPI I2C COMP VREF TIMERS(4) CCP(2) LCD PRGMEM
PIC16F916	M	8192	351	25	UART9 ADC(5) EEPROM(256) SPI I2C COMP VREF TIMERS(4) CCP(1) LCD PRGMEM
PIC16F917	M	8192	350	36	UART9 ADC(8) EEPROM(256) SPI I2C COMP VREF TIMERS(4) CCP(2) LCD PRGMEM
PIC16C923	M	4096	175	52	SPI I2C TIMERS(3) CCP(1) LCD
PIC16C924	M	4096	175	52	ADC(5) SPI I2C TIMERS(3) CCP(1) LCD
PIC16C925	M	4096	175	52	ADC(5) SPI I2C TIMERS(3) CCP(1) LCD
PIC16C926	M	8192	335	52	ADC(5) SPI I2C TIMERS(3) CCP(1) LCD
PIC16F946	M	8192	335	54	UART9 ADC(8) EEPROM(256) SPI I2C COMP TIMERS(4) CCP(2) LCD PRGMEM
PIC18C242	H	8192	512	23	UART9 ADC(5) SPI I2C-M PSP TIMERS(4) CCP(2)
PIC18F242	H	8192	768	23	UART9 ADC(5) EEPROM(256) SPI I2C-M TIMERS(4) CCP(2) PRGMEM
PIC18F248	H	8192	768	23	UART9 ADC(5) EEPROM(256) SPI I2C-M TIMERS(4) CAN CCP(1) PRGMEM
PIC18C252	H	16384	1536	23	UART9 ADC(5) SPI I2C-M PSP TIMERS(4) CCP(2)
PIC18F252	H	16384	1536	23	UART9 ADC(5) EEPROM(256) SPI I2C-M TIMERS(4) CCP(2) PRGMEM
PIC18F258	H	16384	1536	23	UART9 ADC(5) EEPROM(256) SPI I2C-M TIMERS(4) CAN CCP(1) PRGMEM

PIC18F442	H	8192	768	34	UART9 ADC(8) EEPROM(256) SPI I2C-M PSP TIMERS(4) CCP(2) PRGMEM
PIC18C442	H	8192	512	34	UART9 ADC(8) SPI I2C-M PSP TIMERS(4) CCP(2)
PIC18F448	H	8192	768	34	UART9 ADC(8) EEPROM(256) SPI I2C-M COMP VREF PSP TIMERS(4) CAN CCP(2) PRGMEM
PIC18C452	H	16384	1536	34	UART9 ADC(8) SPI I2C-M PSP TIMERS(4) CCP(2)
PIC18F452	H	16384	1536	34	UART9 ADC(8) EEPROM(256) SPI I2C-M PSP TIMERS(4) CCP(2) PRGMEM
PIC18F458	H	16384	1536	34	UART9 ADC(8) EEPROM(256) SPI I2C-M COMP VREF PSP TIMERS(4) CAN CCP(2) PRGMEM
PIC18C601	H	0	1536	51	UART9 ADC(8) SPI I2C-M PSP TIMERS(4) CCP(2)
PIC18C658	H	16384	1536	52	UART9 ADC(12) SPI I2C-M PSP TIMERS(4) CAN CCP(2)
PIC18C801	H	0	1536	67	UART9 ADC(12) SPI I2C-M PSP TIMERS(4) CCP(2)
PIC18C858	H	16384	1536	76	UART9 ADC(16) SPI I2C-M PSP TIMERS(4) CAN CCP(2)
PIC18F1220	H	2048	256	16	UART9 ADC(7) EEPROM(256) TIMERS(4) CCP(1) PRGMEM
PIC18F1230	H	2048	512	16	UART9 ADC(4) EEPROM(128) COMP VREF TIMERS(2) MOTOR PRGMEM
PIC18F1320	H	4096	256	16	UART9 ADC(7) EEPROM(256) TIMERS(4) CCP(1) PRGMEM
PIC18F1330	H	4096	512	16	UART9 ADC(4) EEPROM(128) COMP VREF TIMERS(2) MOTOR PRGMEM
PIC18F2220	H	2048	512	25	UART9 ADC(10) EEPROM(256) SPI I2C-M COMP VREF TIMERS(4) CCP(2) PRGMEM
PIC18F2221	H	2048	512	25	UART9 ADC(10) EEPROM(256) SPI I2C-M COMP VREF TIMERS(4) CCP(2) PRGMEM
PIC18F2320	H	4096	512	25	UART9 ADC(10) EEPROM(256) SPI I2C-M COMP VREF TIMERS(4) CCP(2) PRGMEM
PIC18F2321	H	4096	512	25	UART9 ADC(10) EEPROM(256) SPI I2C-M COMP VREF TIMERS(4) CCP(2) PRGMEM
PIC18F2331	H	4096	768	25	UART9 ADC(5) EEPROM(256) SPI I2C TIMERS(3) CCP(2) MOTOR PRGMEM
PIC18LF24J10	H	8188	1024	21	UART9 ADC(10) SPI I2C-M COMP VREF TIMERS(3) CCP(2) PRGMEM
PIC18F2410	H	8192	768	25	UART9 ADC(10) SPI I2C-M COMP VREF TIMERS(4) CCP(2)

					PRGMEM
PIC18F24J10	H	8188	1024	21	UART9 ADC(10) SPI I2C-M COMP VREF TIMERS(3) CCP(2) PRGMEM
PIC18F2420	H	8192	768	25	UART9 ADC(10) EEPROM(256) SPI I2C-M COMP VREF TIMERS(4) CCP(2) PRGMEM
PIC18F2423 *	H	8192	768	25	UART9 ADC(10) EEPROM(256) SPI I2C-M COMP VREF TIMERS(4) CCP(1) PRGMEM
PIC18F2431	H	8192	768	25	UART9 ADC(5) EEPROM(256) SPI I2C TIMERS(3) CCP(2) MOTOR PRGMEM
PIC18F2439	H	6144	768	21	UART9 ADC(5) EEPROM(256) SPI I2C-M TIMERS(4) PRGMEM
PIC18F2450	H	8192	768	22	UART9 ADC(10) USB TIMERS(3) CCP(1) PRGMEM
PIC18F2455	H	12288	2048	25	UART9 ADC(10) EEPROM(256) SPI USB I2C-M COMP VREF TIMERS(4) CCP(2) PRGMEM
PIC18F2480	H	8192	768	25	UART9 ADC(8) EEPROM(256) SPI I2C-M VREF TIMERS(4) CAN CCP(1) PRGMEM
PIC18F25J10	H	16380	1024	21	UART9 ADC(10) SPI I2C-M COMP VREF TIMERS(3) CCP(2) PRGMEM
PIC18F2510	H	16384	1536	25	UART9 ADC(10) SPI I2C-M COMP VREF TIMERS(4) CCP(2) PRGMEM
PIC18LF25J10	H	16380	1024	21	UART9 ADC(10) SPI I2C-M COMP VREF TIMERS(3) CCP(2) PRGMEM
PIC18F2515	H	24576	4096	25	UART9 ADC(10) SPI I2C-M COMP VREF TIMERS(4) CCP(2) PRGMEM
PIC18F2520	H	16384	1536	25	UART9 ADC(10) EEPROM(256) SPI I2C-M COMP VREF TIMERS(4) CCP(2) PRGMEM
PIC18F2523 *	H	16384	1536	25	UART9 ADC(10) EEPROM(256) SPI I2C-M COMP VREF TIMERS(4) CCP(1) PRGMEM
PIC18F2525	H	24576	4096	25	UART9 ADC(10) EEPROM(1024) SPI I2C-M COMP VREF TIMERS(4) CCP(2) PRGMEM
PIC18F2539	H	12288	1536	21	UART9 ADC(5) EEPROM(256) SPI I2C-M TIMERS(4) PRGMEM
PIC18F2550	H	16384	2048	24	UART9 ADC(10) EEPROM(256) SPI USB I2C-M COMP VREF TIMERS(4) CCP(2) PRGMEM
PIC18F2580	H	16384	1536	25	UART9 ADC(8) EEPROM(256) SPI I2C-M VREF TIMERS(4) CAN

					CCP(1) PRGMEM
PIC18F2585	H	24576	3328	25	UART9 ADC(8) EEPROM(1024) SPI I2C-M VREF TIMERS(4) CAN CCP(1) PRGMEM
PIC18F2610	H	32768	4096	25	UART9 ADC(10) SPI I2C-M COMP VREF TIMERS(4) CCP(2) PRGMEM
PIC18F2620	H	32768	4096	25	UART9 ADC(10) EEPROM(1024) SPI I2C-M COMP VREF TIMERS(4) CCP(2) PRGMEM
PIC18F2680	H	32768	3328	25	UART9 ADC(8) EEPROM(1024) SPI I2C-M VREF TIMERS(4) CAN CCP(1) PRGMEM
PIC18F2682	H	40960	3328	25	UART9 ADC(8) EEPROM(1024) SPI I2C-M VREF TIMERS(4) CAN CCP(1) PRGMEM
PIC18F2685	H	49152	3328	25	UART9 ADC(8) EEPROM(1024) SPI I2C-M VREF TIMERS(4) CAN CCP(1) PRGMEM
PIC18F4220	H	2048	512	36	UART9 ADC(13) EEPROM(256) SPI I2C-M COMP VREF PSP TIMERS(4) CCP(2) PRGMEM
PIC18F4221	H	2048	512	35	UART9 ADC(13) EEPROM(256) SPI I2C-M COMP VREF PSP TIMERS(4) CCP(2) PRGMEM
PIC18F4320	H	4096	512	36	UART9 ADC(13) EEPROM(256) SPI I2C-M COMP VREF PSP TIMERS(4) CCP(2) PRGMEM
PIC18F4321	H	4096	512	36	UART9 ADC(13) EEPROM(256) SPI I2C-M COMP VREF PSP TIMERS(4) CCP(2) PRGMEM
PIC18F4331	H	4096	768	36	UART9 ADC(9) EEPROM(256) SPI I2C TIMERS(3) CCP(2) MOTOR PRGMEM
PIC18F4410	H	8192	768	36	UART9 ADC(13) SPI I2C-M COMP VREF PSP TIMERS(4) CCP(2) PRGMEM
PIC18LF44J10	H	8188	1024	32	UART9 ADC(13) SPI I2C-M COMP VREF PSP TIMERS(3) CCP(2) PRGMEM
PIC18F44J10	H	8188	1024	32	UART9 ADC(13) SPI I2C-M COMP VREF PSP TIMERS(3) CCP(2) PRGMEM
PIC18F4420	H	8192	768	36	UART9 ADC(13) EEPROM(256) SPI I2C-M COMP VREF PSP TIMERS(4) CCP(2) PRGMEM
PIC18F4423 *	H	8192	768	25	UART9 ADC(13) EEPROM(256) SPI I2C-M COMP VREF TIMERS(4) CCP(1) PRGMEM
PIC18F4431	H	8192	768	36	UART9 ADC(9) EEPROM(256) SPI I2C TIMERS(3) CCP(2)

					MOTOR PRGMEM
PIC18F4439	H	6144	768	32	UART9 ADC(8) EEPROM(256) SPI I2C-M PSP TIMERS(4) PRGMEM
PIC18F4450	H	8192	768	34	UART9 ADC(13) USB TIMERS(3) CCP(1) PRGMEM
PIC18F4455	H	12288	2048	36	UART9 ADC(13) EEPROM(256) SPI USB I2C-M COMP VREF PSP TIMERS(4) CCP(2) PRGMEM
PIC18F4480	H	8192	768	36	UART9 ADC(11) EEPROM(256) SPI I2C-M COMP VREF PSP TIMERS(4) CAN CCP(2) PRGMEM
PIC18F45J10	H	16380	1024	32	UART9 ADC(13) SPI I2C-M COMP VREF PSP TIMERS(3) CCP(2) PRGMEM
PIC18F4510	H	16384	1536	36	UART9 ADC(13) SPI I2C-M COMP VREF PSP TIMERS(4) CCP(2) PRGMEM
PIC18LF45J10	H	16380	1024	32	UART9 ADC(13) SPI I2C-M COMP VREF PSP TIMERS(3) CCP(2) PRGMEM
PIC18F4515	H	24576	4096	36	UART9 ADC(13) SPI I2C-M COMP VREF PSP TIMERS(4) CCP(2) PRGMEM
PIC18F4520	H	16384	1536	36	UART9 ADC(13) EEPROM(256) SPI I2C-M COMP VREF PSP TIMERS(4) CCP(2) PRGMEM
PIC18F4523 *	H	16384	1536	25	UART9 ADC(13) EEPROM(256) SPI I2C-M COMP VREF TIMERS(4) CCP(1) PRGMEM
PIC18F4525	H	24576	4096	36	UART9 ADC(13) EEPROM(1024) SPI I2C-M COMP VREF PSP TIMERS(4) CCP(2) PRGMEM
PIC18F4539	H	12288	1536	32	UART9 ADC(8) EEPROM(256) SPI I2C-M PSP TIMERS(4) PRGMEM
PIC18F4550	H	16384	2048	35	UART9 ADC(13) EEPROM(256) SPI USB I2C-M COMP VREF PSP TIMERS(4) CCP(2) PRGMEM
PIC18F4580	H	16384	2304	36	UART9 ADC(11) EEPROM(256) SPI I2C-M COMP VREF PSP TIMERS(4) CAN CCP(2) PRGMEM
PIC18F4585	H	24576	3328	36	UART9 ADC(11) EEPROM(1024) SPI I2C-M COMP VREF PSP TIMERS(4) CAN CCP(2) PRGMEM
PIC18F4610	H	32768	4096	36	UART9 ADC(13) SPI I2C-M COMP VREF PSP TIMERS(4) CCP(2) PRGMEM
PIC18F4620	H	32768	4096	36	UART9 ADC(13) EEPROM(1024) SPI I2C-M COMP VREF PSP TIMERS(4) CCP(2) PRGMEM

PIC18F4680	H	32768	3328	36	UART9 ADC(11) EEPROM(1024) SPI I2C-M COMP VREF PSP TIMERS(4) CAN CCP(2) PRGMEM
PIC18F4682	H	40960	3328	36	UART9 ADC(11) EEPROM(1024) SPI I2C-M VREF TIMERS(4) CAN CCP(1) PRGMEM
PIC18F4685	H	49152	3328	36	UART9 ADC(11) EEPROM(1024) SPI I2C-M VREF TIMERS(4) CAN CCP(1) PRGMEM
PIC18F6310	H	4096	768	54	UART9(2) ADC(12) SPI I2C-M COMP VREF PSP TIMERS(4) CCP(3) PRGMEM
PIC18F63J11 *	H	4092	1024	51	UART9(2) ADC(12) SPI I2C-M COMP VREF PSP TIMERS(4) CCP(2) PRGMEM
PIC18F63J90 *	H	4092	1024	51	UART9(2) ADC(12) SPI I2C-M COMP VREF TIMERS(4) CCP(2) PRGMEM
PIC18F6390	H	4096	768	50	UART9(2) ADC(12) SPI I2C-M COMP VREF TIMERS(4) CCP(2) LCD PRGMEM
PIC18F6410	H	8192	768	54	UART9(2) ADC(12) SPI I2C-M COMP VREF PSP TIMERS(4) CCP(3) PRGMEM
PIC18F64J11 *	H	8188	1024	51	UART9(2) ADC(12) SPI I2C-M COMP VREF PSP TIMERS(4) CCP(2) PRGMEM
PIC18F64J90 *	H	8188	1024	51	UART9(2) ADC(12) SPI I2C-M COMP VREF TIMERS(4) CCP(2) PRGMEM
PIC18F6490	H	8192	768	50	UART9(2) ADC(12) SPI I2C-M COMP VREF TIMERS(4) CCP(2) LCD PRGMEM
PIC18F65J10	H	16380	2048	50	UART9(2) ADC(11) SPI I2C-M COMP VREF PSP TIMERS(5) CCP(5) PRGMEM
PIC18F65J11 *	H	16380	1024	51	UART9(2) ADC(12) SPI I2C-M COMP VREF PSP TIMERS(4) CCP(2) PRGMEM
PIC18F65J15	H	24572	2048	50	UART9(2) ADC(11) SPI I2C-M COMP VREF PSP TIMERS(5) CCP(5) PRGMEM
PIC18F6520	H	16384	2048	52	UART9(2) ADC(12) EEPROM(1024) SPI I2C-M COMP VREF PSP TIMERS(5) CCP(5) PRGMEM
PIC18F6525	H	24576	3840	53	UART9(2) ADC(12) EEPROM(1024) SPI I2C-M COMP VREF PSP TIMERS(5) CCP(5) PRGMEM
PIC18F6527	H	24576	3840	54	UART9(2) ADC(12) EEPROM(1024) SPI I2C-M COMP VREF PSP TIMERS(5) CCP(5) PRGMEM

PIC18F6585	H	24576	3328	53	UART9 ADC(12) EEPROM(1024) SPI I2C-M COMP VREF PSP TIMERS(4) CAN CCP(2) PRGMEM
PIC18F65J90 *	H	16380	1024	51	UART9(2) ADC(12) SPI I2C-M COMP VREF TIMERS(4) CCP(2) PRGMEM
PIC18F66J10	H	32764	2048	50	UART9(2) ADC(11) SPI I2C-M COMP VREF PSP TIMERS(5) CCP(5) PRGMEM
PIC18F66J15	H	49148	3840	50	UART9(2) ADC(11) SPI I2C-M COMP VREF PSP TIMERS(5) CCP(5) PRGMEM
PIC18F6620	H	32768	3840	52	UART9(2) ADC(12) EEPROM(1024) SPI I2C-M COMP VREF PSP TIMERS(5) CCP(5) PRGMEM
PIC18F6621	H	32768	3840	53	UART9(2) ADC(12) EEPROM(1024) SPI I2C-M COMP VREF PSP TIMERS(5) CCP(5) PRGMEM
PIC18F6622	H	32768	3840	54	UART9(2) ADC(12) EEPROM(1024) SPI I2C-M COMP VREF PSP TIMERS(5) CCP(5) PRGMEM
PIC18F6627	H	49152	3840	54	UART9(2) ADC(12) EEPROM(1024) SPI I2C-M COMP VREF PSP TIMERS(5) CCP(5) PRGMEM
PIC18F66J60 *	H	32764	4096	39	UART9 ADC(11) SPI I2C-M COMP VREF TIMERS(5) CCP(5) PRGMEM
PIC18F66J65 *	H	49148	4096	39	UART9 ADC(11) SPI I2C-M COMP VREF TIMERS(5) CCP(5) PRGMEM
PIC18F6680	H	32768	3328	53	UART9 ADC(12) EEPROM(1024) SPI I2C-M COMP VREF PSP TIMERS(4) CAN CCP(2) PRGMEM
PIC18F67J10	H	65532	3840	50	UART9(2) ADC(11) SPI I2C-M COMP VREF PSP TIMERS(5) CCP(5) PRGMEM
PIC18F6720	H	65536	3840	52	UART9(2) ADC(12) EEPROM(1024) SPI I2C-M COMP VREF PSP TIMERS(5) CCP(5) PRGMEM
PIC18F6722	H	65536	3840	54	UART9(2) ADC(12) EEPROM(1024) SPI I2C-M COMP VREF PSP TIMERS(5) CCP(5) PRGMEM
PIC18F67J60 *	H	65532	4096	39	UART9 ADC(11) SPI I2C-M COMP VREF TIMERS(5) CCP(5) PRGMEM
PIC18F8310	H	4096	768	70	UART9(2) ADC(12) SPI I2C-M COMP VREF PSP TIMERS(4) CCP(3) PRGMEM
PIC18F83J11 *	H	4092	1024	67	UART9(2) ADC(12) SPI I2C-M COMP VREF PSP TIMERS(4) CCP(2) PRGMEM

PIC18F83J90 *	H	4092	1024	67	UART9(2) ADC(12) SPI I2C-M COMP VREF TIMERS(4) CCP(2) PRGMEM
PIC18F8390	H	4096	768	66	UART9(2) ADC(12) SPI I2C-M COMP VREF TIMERS(4) CCP(2) LCD PRGMEM
PIC18F8410	H	8192	768	70	UART9(2) ADC(12) SPI I2C-M COMP VREF PSP TIMERS(4) CCP(3) PRGMEM
PIC18F84J11 *	H	8188	1024	67	UART9(2) ADC(12) SPI I2C-M COMP VREF PSP TIMERS(4) CCP(2) PRGMEM
PIC18F84J90 *	H	8188	1024	67	UART9(2) ADC(12) SPI I2C-M COMP VREF TIMERS(4) CCP(2) PRGMEM
PIC18F8490	H	8192	768	66	UART9(2) ADC(12) SPI I2C-M COMP VREF TIMERS(4) CCP(2) LCD PRGMEM
PIC18F85J10	H	16380	2048	66	UART9(2) ADC(15) SPI I2C-M COMP VREF PSP TIMERS(5) CCP(5) PRGMEM
PIC18F85J11 *	H	16380	1024	67	UART9(2) ADC(12) SPI I2C-M COMP VREF PSP TIMERS(4) CCP(2) PRGMEM
PIC18F85J15	H	24572	2048	66	UART9(2) ADC(15) SPI I2C-M COMP VREF PSP TIMERS(5) CCP(5) PRGMEM
PIC18F8520	H	16384	2048	68	UART9(2) ADC(16) EEPROM(1024) SPI I2C-M COMP VREF PSP TIMERS(5) CCP(5) PRGMEM
PIC18F8525	H	24576	3840	69	UART9(2) ADC(16) EEPROM(1024) SPI I2C-M COMP VREF PSP TIMERS(5) CCP(5) PRGMEM
PIC18F8527	H	24576	3840	70	UART9(2) ADC(16) EEPROM(1024) SPI I2C-M COMP VREF PSP TIMERS(5) CCP(5) PRGMEM
PIC18F8585	H	24576	3328	69	UART9 ADC(16) EEPROM(1024) SPI I2C-M COMP VREF PSP TIMERS(4) CAN CCP(2) PRGMEM
PIC18F85J90 *	H	16380	1024	67	UART9(2) ADC(12) SPI I2C-M COMP VREF TIMERS(4) CCP(2) PRGMEM
PIC18F86J10	H	32764	2048	66	UART9(2) ADC(15) SPI I2C-M COMP VREF PSP TIMERS(5) CCP(5) PRGMEM
PIC18F86J15	H	49148	3840	66	UART9(2) ADC(15) SPI I2C-M COMP VREF PSP TIMERS(5) CCP(5) PRGMEM
PIC18F8620	H	32768	3840	68	UART9(2) ADC(16) EEPROM(1024) SPI I2C-M COMP VREF PSP TIMERS(5) CCP(5) PRGMEM

PIC18F8621	H	32768	3840	69	UART9(2) ADC(16) EEPROM(1024) SPI I2C-M COMP VREF PSP TIMERS(5) CCP(5) PRGMEM
PIC18F8622	H	32768	3840	70	UART9(2) ADC(16) EEPROM(1024) SPI I2C-M COMP VREF PSP TIMERS(5) CCP(5) PRGMEM
PIC18F8627	H	49152	3840	70	UART9(2) ADC(16) EEPROM(1024) SPI I2C-M COMP VREF PSP TIMERS(5) CCP(5) PRGMEM
PIC18F86J60 *	H	32764	4096	61	UART9(2) ADC(15) SPI I2C-M COMP VREF TIMERS(5) CCP(5) PRGMEM
PIC18F86J65 *	H	45908	4096	61	UART9(2) ADC(15) SPI I2C-M COMP VREF TIMERS(5) CCP(5) PRGMEM
PIC18F8680	H	32768	3328	69	UART9 ADC(16) EEPROM(1024) SPI I2C-M COMP VREF PSP TIMERS(4) CAN CCP(2) PRGMEM
PIC18F87J10	H	65532	3840	66	UART9(2) ADC(15) SPI I2C-M COMP VREF PSP TIMERS(5) CCP(5) PRGMEM
PIC18F8720	H	65536	3840	68	UART9(2) ADC(16) EEPROM(1024) SPI I2C-M COMP VREF PSP TIMERS(5) CCP(5) PRGMEM
PIC18F8722	H	65536	3840	70	UART9(2) ADC(16) EEPROM(1024) SPI I2C-M COMP VREF PSP TIMERS(5) CCP(5) PRGMEM
PIC18F87J60 *	H	65532	4096	61	UART9(2) ADC(15) SPI I2C-M COMP VREF TIMERS(5) CCP(5) PRGMEM
PIC18F96J60 *	H	32764	4096	69	UART9(2) ADC(16) SPI I2C-M COMP VREF PSP TIMERS(5) CCP(5) PRGMEM
PIC18F96J65 *	H	45908	4096	70	UART9(2) ADC(16) SPI I2C-M COMP VREF PSP TIMERS(5) CCP(5) PRGMEM
PIC18F97J60 *	H	65532	4096	70	UART9(2) ADC(16) SPI I2C-M COMP VREF PSP TIMERS(5) CCP(5) PRGMEM
SX18AC	SX	2048	136	20	TIMERS(1)
SX20AC	SX	2048	136	20	TIMERS(1)
SX28AC	SX	2048	136	20	TIMERS(1)
SX48BD	SX	2048	136	20	TIMERS(1)
SX52BD	SX	2048	136	20	TIMERS(1)