

# IALink(Industrial Automation Link) Series, IALink100-Modbus

Modbus/TCP Gateway for Modbus Devices

Last updated: 1 August, 2002




## Features

- Connects Modbus serial devices to 10Base-T Ethernet network
- Supports serial protocol for Modbus RTU/ASCII
- Supports Modbus Master/Slave mode
- Supports RS232/422/485 based serial devices via screw terminal block
- Transfers serial data at a rate up to 115 Kbps
- Can be mounted on DIN rail mounting rack
- Configuration via telnet or serial console port
- Windows-based management software for configuration and administration

The **IALink100-Modbus** is a Modbus/TCP Gateway that makes your RS232/422/485 based Modbus devices manageable through Modbus/TCP protocol over Ethernet. It supports Modbus Master/Slave mode for both Modbus ASCII and RTU devices, and can connect multiple Modbus devices to Ethernet by RS422/485 multi-drop connection.

The IALink100-Modbus is designed to meet the requirements for various industrial applications. It can be easily mounted on to a DIN-rail mounting rack, and it supports screw terminal block interface for power-supply and serial interface.

You could easily configure and administrate the IALink100-Modbus by using Telnet, the serial console port and Windows-based HelloDevice Manager software.



The IALink100-Modbus would be an ideal Modbus/TCP gateway solution for you in connecting your RS232/422/485 based industrial Modbus devices to the Modbus/TCP-based network easily, as well as cost-effectively.

**SENA**  
TECHNOLOGIES  
<http://www.sena.com>

The product specification is subject to change without prior notice.

